

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	116314	(configur\$3 or manag \$3) with (switch\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 09:50
S2	497	((configur\$3 or manag \$3) with (switch\$2)) same (vpn or (virtual near private near network\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 09:51
S3	12	S2 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 09:52
S4	543	((configur\$3 or manag \$3) with (switch\$2)) same (vpn or (virtual near private near network\$1) or extranet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 09:56
S5	12	S4 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 09:56
S6	1663	((configur\$3 or manag \$3) with (switch\$2 or router\$1 or firewall \$1)) same (vpn or (virtual near private near network\$1) or extranet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 09:58
S7	39	S6 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 09:58
S8	27	S7 not S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 09:58

S9	5	S8 and (gui or (graphical near user near interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:05
S10	1336	(gui or (graphical near user near interface)) with display\$3 with (switch \$2 or router\$1 or firewall\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:12
S11	133	S10 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:12
S12	28	S11 and (vpn or extranet or security)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:13
S13	105	S11 not S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:37
S14	477	((configur\$3 or manag \$3) with (vpn or extranet or security) with (switch\$2)) and (gui or window\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:42
S15	32	S14 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:42
S16	290	*5606668"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 11:28
S17	97	S16 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 11:29

S18	0	((gui or (graphical near user near interface)) with display\$3 with (switch \$2 or router\$1 or firewall\$1 or bridge\$1 or hub\$1)) and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 11:32
S19	4	((gui or (graphical near user near interface)) with (switch\$2 or router\$1 or firewall\$1 or bridge \$1 or hub\$1)) and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 11:32
S20	1731	((configur\$3 or manag \$3) with (switch\$2 or router\$1 or bridge\$1 or hub\$1 or firewall \$1)) same (vpn or (virtual near private near network\$1) or extranet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 11:34
S21	40	S20 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 11:34
S22	33	((manag\$3 or administrator\$1 or operator\$1) with (interface\$1 or gui or window\$1)) and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 11:48
S23	28	((manag\$3 or administrator\$1 or operator\$1) with (interface\$1 or gui or window\$1)) same (configur\$3 with (switch\$2 or router\$1 or firewall\$1)) same (vpn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 12:39
S24	0	S23 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 12:39

S25	1370	((manag\$3 or administrator\$1 or operator\$1) with (interface\$1 or gui or window\$1)) same (configur\$3 with (switch\$2 or router\$1 or firewall\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 12:39
S26	119	S25 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 12:40
S27	7236	(gui or (graphical near2 interface) or window) with display \$3 with (switch\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 13:27
S28	2229	S27 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 13:27
S29	2	S28 and vpn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 13:28
S30	109	(configur\$5 near5 switch\$2) and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 13:55
S31	44	S30 and (link\$1 or url)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 13:55
S32	8	("6772207").URPN.	USPAT	OR	ON	2010/01/12 15:00

S33	32	("5471617" "5500934" "5559958" "5634010" "5651006" "5671414" "5675798" "5694615" "5706455" "5737518" "5802291" "5873084" "5887139" "5905867" "5905890" "5933601" "5974237" "5974457" "5987513" "5999179" "6005849" "6020889" "6049828" "6052722" "6105061" "6118776" "6122664" "6145098" "6151023" "6181776" "6272537" "6381635").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/12 15:04
S34	0	S33 and S25	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/12 15:15
S35	4	(configur\$5 near5 switch\$2) and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:15
S36	0	S33 and S20	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/12 15:16
S37	11	((configur\$3 or manag \$3) with (switch\$2 or router\$1 or bridge\$1 or hub\$1 or firewall \$1)) and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:16
S38	9	S37 and (link\$1 or url)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:21

S39	83	(gui or (graphical near2 interface) or window or console) with display\$3 with (switch\$2) with (link \$1 or url)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:23
S40	13	S39 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:23
S41	1	(gui or (graphical near2 interface) or window or console) with display\$3 with (switch\$2) with (link \$1 or url) with configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:25
S42	7	((gui or (graphical near2 interface) or window or console) with display\$3 with (switch\$2)) same ((link\$1 or url) with configuration\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:27
S43	0	S42 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:27
S44	46	((gui or (graphical near2 interface) or window or console) with (switch\$2)) same ((link\$1 or url) with configuration\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:28
S45	1	S44 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:28
S46	112	(gui or (graphical near2 interface) or window or console) with display\$3 with ((link\$1 or url) with configuration\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:29
S47	26	S46 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:29

S48	569	(gui or (graphical near2 interface) or window or console or administrator\$1 or operator\$1 or user \$1) with display\$3 with ((link\$1 or url) with configuration\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:41
S49	49	S48 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:41
S50	23	S49 not S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:41
S51	1363	display\$3 with ((link \$1 or url) with configuration\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:51
S52	153	S51 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:52
S53	0	((configur\$3 or manag \$3) with (switch\$2)) same (vpn or (virtual near private near network\$1)) and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:52
S54	11	((configur\$3 or manag \$3) with (switch\$2)) and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 15:52
S55	1691	access\$3 with remote with configuration\$1 with (data or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:24
S56	215	S55 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:24

S57	168	S56 and (url or link \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:24
S58	11	S56 and ((url or link \$1) same ((configuration near server\$1) or (web near server\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:25
S59	168	S56 and ((url or link \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:33
S60	74	(configur\$3 with (device\$1)) and S59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:35
S61	5816	(remote with (manag \$3 or configur\$5) with (switch\$2 or router\$1 or firewall\$1 or bridge\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:51
S62	852	S61 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:51
S63	497	S62 and (url or link \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:52
S64	30425	(gui or (graphical near2 interface) or window or console or administrator\$1 or operator\$1 or user \$1) with display\$3 with (link\$1 or url)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:53
S65	6	S63 and S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:53
S66	4757	(715/733-747).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/12 16:57

S67	0	S63 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:58
S68	0	S62 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:58
S69	251	(715/735).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/12 16:58
S70	23	S69 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:58
S71	705	S66 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 17:13
S72	0	S61 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 17:13
S73	59	((manag\$3 or configur \$5) with (switch\$2 or router\$1 or firewall\$1 or bridge\$1)) and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 17:14
S74	2658	(request\$3 or access \$3) with (configuration\$1) with (data or information) with (internet or browser \$1 or (web near server\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 17:22
S75	159	S74 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 17:23

S76	127	S75 and (url or link \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 17:23
S77	5	S76 and (switch\$2 near5 configuration near5 (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 18:23
S78	118	(request\$3 or access \$3) with (configuration\$1) with (data or information) with (internet or browser \$1 or (web near server\$1)) with switch \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 18:43
S79	9	S78 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 18:43
S80	663	(request\$3 or access \$3) with (configuration\$1) with (data or information) with (internet or browser \$1 or (web near server\$1)) with device \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 18:45
S81	33	S80 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 18:46
S82	28	S81 and (url or link \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 18:46
S83	25	"6493749"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 11:23
S84	2	S83 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 11:24

S85	17	("5022077" "5475819" "5495607" "5555375" "5734831" "5740431" "5771381" "5867706" "5872928" "5875327" "5991808" "6076106" "6078955" "6102965" "6105063" "6182075" "6279001").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/13 11:24
S86	1410	(obtain\$3 or access \$3 or request\$3) near5 (configuration \$1) near5 (switch\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/13 13:07
S87	276	S86 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:07
S88	15	S87 and (browser\$1 same (url or link\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:07
S89	17	S87 and (browser\$1 and (url or link\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:09
S90	175	S87 and (browser\$1 or interface\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:12
S91	26	S90 and (display\$3 with switch\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:23
S92	1295364	(configur\$3 or control \$3 or manag\$3) with switch\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:28

S93	146	S90 and S92	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:28
S94	940852	(configur\$3 or control \$3 or manag\$3) near5 switch\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:28
S95	146	S90 and S93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:28
S96	968986	(configur\$3 or control \$3 or manag\$3 or monitor\$3) near5 switch\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:53
S97	91	(configur\$3 or control \$3 or manag\$3 or monitor\$3) near5 (extranet or vpn) near5 switch\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:53
S98	0	S97 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:53
S99	410544	S96 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:53
S100	1516	(gui or browser\$1) with (display\$3 or list \$3) with (switch\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:54
S101	67	S99 and S100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 13:55
S102	1464	(extranet or vpn) near5 switch\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:06

S103	52	S102 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:06
S104	5060	(gui or browser\$1) with (switch\$2 or device\$1 or router\$1) with (link\$1 or url)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:29
S105	280	S104 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:29
S106	1	S105 and vpn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:29
S107	968986	(configur\$3 or control \$3 or manag\$3 or monitor\$3) near5 switch\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:30
S108	35	S105 and S107	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:30
S109	32230	(configur\$3 or control \$3 or manag\$3 or monitor\$3) near5 network near5 switch \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:38
S110	8682	S109 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:38
S111	8	S105 and S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:38
S112	18132	(display\$3) near5 (switch\$2 or device\$1 or router\$1) near5 (configuration\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:43

S113	2277	S112 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:43
S114	13	S110 and S113	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:44
S115	69415	device near configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:48
S116	11870	S115 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:48
S117	68	S110 and S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:49
S118	762	(access\$3 or obtain \$3) with (configuration\$1) with (data or information\$1) with (browser\$1 or url)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:52
S119	50	S118 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 14:52
S120	4757	(715/733-747).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/13 15:00
S121	705	S120 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 15:00
S122	96	S121 and (configur\$3 with device\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 15:00

S123	9522	(configuration near server\$1) and (administrator\$1 or operator\$1 or manager\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 15:20
S124	805	S123 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 15:20
S125	2746188	(configur\$3 or control \$3 or manag\$3) near5 (switch\$2 or device\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 15:21
S126	389	S124 and S125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 15:21
S127	125	(browser\$1) and S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 15:21
S128	38406	(select\$3 with configur\$3 with device \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 15:33
S129	618	S123 and S128	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 15:33
S130	28	S129 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 15:34
S131	271	(configur\$3 near5 (network near device \$1)) and (link\$1 same browser\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 15:44
S132	15	S131 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 15:45

S133	3469	(user\$1 or customer \$1) near5 vpn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:02
S134	100	S133 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:03
S135	8	S134 and (packet near filter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:03
S136	8	S134 and (packet near filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:03
S137	1971	(configur\$3 with vpn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:22
S138	39	S137 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:22
S139	14	((customer\$1 or user \$1) near (data or information)) and S138	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:23
S140	9	S139 and (filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:24
S141	3084	((configur\$3 or manag \$3) with vpn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:41
S142	68	S141 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:41

S143	59	S142 not S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:42
S144	39	((customer\$1 or user \$1) with vpn) and S143	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:43
S145	347	S141 and (packet near filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:43
S146	12	S144 and (packet near filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:43
S147	21	"6289370"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 16:49
S148	1225	switch\$2 near5 (vpn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 17:14
S149	41	S148 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 17:14
S150	1492	(379/268-272).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/13 17:39
S151	0	S141 and S150	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 17:40
S152	686	switch\$2 with (offer \$3 or servic\$3 or support\$3) with vpn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 17:41

S153	29	S152 and @ad < "19990402"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/13 17:41
------	----	------------------------------	--	----	----	---------------------

EAST Search History (Interference)

< This search history is empty >

6/ 20/ 2010 6:13:52 PM

C:\ Documents and Settings\ ddoan\ My Documents\ EAST\ Workspaces\ 10706601 new.wsp